



SCREENS PARTITIONS
PRODUCT DISPLAY
ACCESSORIES

MAST THEME SCREEN

LOW MAST SCREEN

TALL MAST SCREEN

SINGLE RIG MAST

TWIN RIG MAST

MAST CHASSIS

TRACK MAST

ACCESSORIES

MMA

AST

MAST


Versatile and adaptable, the Mast range of products have multiple uses from retail to domestic, exhibitions to offices, café's to receptions.

Mast offers a standard product range to meet a wide range of requirements. Should a particular requirement not be met by the existing product range Shopkit offer a bespoke design and manufacturing service to meet individual needs.

Mast is a patented system used by blue chip companies around the world and has an enviable and well proven track record. The following pages illustrate the basic Mast concept. Additional technical information can be obtained by contacting Shopkit Group Ltd.



“Should a particular requirement not be met by the existing product range Shopkit offer a bespoke design and manufacturing service to meet individual needs.”



MAST



- 00** Contents
- 01** Mast Theme Screen
- 02** Low Mast Screen
- 05** Tall Mast Screen
- 09** Single Rig Mast
- 11** Twin Rig Mast
- 13** Mast Chassis
- 15** Track Mast
- 16** Accessories

MAST THEME SCREEN

FREESTANDING 1.2M or 1.5M HIGH

Uses – Public Spaces, Cafés, Offices, Marketing Suites, Receptions, Banks, Events.

The System – A low fabric screening system which can be tailored to individual specifications or requirements. The standard screen is a perforated fabric which can be printed in a plain colour, with a design, logo or image to either one or both sides. Alternative fabrics can be specified. If a post over 1.5m is required then the system needs floor fixing with stainless steel base discs. Fabric screens are supplied with a satin anodised aluminium top rail with the base of the fabric being sandwiched between two satin anodised aluminium flat bars from which the screen is tensioned to the post. Stainless steel shackles and black stretch rubber 'O' rings are used to provide a light tension between the screen and the anodised aluminium disc at the base of the support post. Posts are available in a choice of colours, with silver as standard, with the base support disc in brushed stainless steel. Theme Screen can be arranged in virtually any plan configuration with standard modular widths of 1200mm and 600mm. Special sizes are available.




LOW MAST SCREEN

FREESTANDING + FRAME 1.2M or 1.5M HIGH

Uses – Offices, Receptions, Banks, Showrooms, hotels

The System – comprises of a mild steel mast post supplied as standard in silver with a brushed stainless steel flat foot, a detail that avoids a trip hazard. Alternative paint colours and finishes are available. In order to allow full flexibility in planning, the steel tabs which are welded to each post for securing panels, can be positioned to pre-determined angles as required. Panels are secured using 40mm diameter satin anodised aluminium, brushed or bright stainless steel discs. As the screens are freestanding, a mild steel 40mmx10mm tie bar is connected to the top and bottom of the posts to ensure a rigid screen. A choice of panels are available up to 10mm thick, with toughened glass panels available in clear, acid etched, silk screened, or with special graphics. Standard screen heights are 1200mm or 1500mm with custom heights available up to a maximum of 1500mm.



LOW MAST SCREEN



FLOOR FIXED 1.2M or 1.5M HIGH

Uses – Offices, Receptions, Banks, Showrooms, Hotels

The System – comprises a mild steel Mast post supplied as standard in silver with a brushed stainless steel disc for floor fixing.

Alternative paint colours and finishes are available. In order to allow full flexibility in planning, the steel tabs which are welded to each post for securing panels can be positioned to pre-determined angles as required. Panels are secured using 40mm diameter satin anodised aluminium, brushed or bright polished stainless steel discs.

A choice of solid panels are available up to 12mm thick, toughened glass panels are available clear, acid etched, coloured or with special graphics. Standard screen heights are 1200mm and 1500mm with custom heights available up to a maximum of 1500mm.





TALL MAST SCREEN


FLOOR FIXED - 2M HIGH

Uses- Offices, Receptions, Banks, Showrooms, Hotels

The System - A unique floor fixed screening system with a special in-built levelling mechanism, ensuring an in-line and level installation. As with all the Mast Screen Systems, virtually any planning requirement can be met. The standard screen module is 1200mm wide with a maximum height of 2 metres. Small make-up end panels up to 450 mm wide can be supported off an end post. Special width panels can be supplied up to a maximum of 1200mm.


A particular feature of the system is the removable post which allows an access of up to 2.4m through the screen system via two hinged panels which fold back after releasing the fixing discs on the removable post. The post is removed by simply twisting and lifting it off a second, floor fixed stainless steel disc, which remains in place.

A choice of solid panels are available up to 18mm thick. 10mm thick toughened glass panels are available, clear, acid etched, in coloured or with special graphics. Access doors are supplied in a light weight hollow core panel in a choice of colours.





Mast posts are supplied standard in silver with a brushed stainless steel disc for floor fixing, alternative paint colours and finishes are available. Panels are secured using 40 mm diameter satin anodised aluminium, brushed or bright stainless steel discs. As with all Mast products design, detail and engineering are expressed in the manufacture of this unique screening system.






TALL MAST SCREEN

FLOOR TO CEILING FIXED

Uses – Offices, Receptions

The System – A floor to ceiling fixed screen system using Mast posts in mild steel, finished as standard in silver, alternative paint colours and finishes are available. Posts have adjustable feet and a sliding adjustable top fixing with a maximum ceiling height of 3.5M. The system accepts solid panels up to 18mm and 10mm toughened glass panels which can be clear, acid etched, coloured, or with special graphics. As the Mast posts can have the panel fixing tabs welded at any required angle virtually any plan configuration is possible. Panels are secured using 40mm diameter satin anodised aluminium, brushed or bright stainless steel discs. The standard module between mast post centres is 1175mm giving a panel width of 1127mm and a maximum height of 3m. Alternative widths and heights are available. Shelving and graphic panels can be supported by this system using tensioned cable assemblies.




TALL MAST SCREEN

+ TENSIONED CABLES

Uses – Offices, Receptions

The System – The floor to ceiling mast system can be specified with either a single tensioned cable or a single rig cable assembly comprising two cables cantilevered off one mast post. Using the single tensioned cable a variety of graphic panels, glass panels and acrylic panels can be supported using components from the Shopkit cable component range. To support shelves or glass cabinets the single rig cable assembly is required. Using components from the Shopkit cable range shelves can be manufactured from any substrate and to a choice of finishes.

Either the single cable or single rig cable assembly can be fixed to both sides of the Mast screen post making this a uniquely flexible and adaptable partitioning system.



SINGLE RIG MAST


MINI 1.5M or MAXI 2.4M

Uses – Retail, Exhibitions, Offices, Bars

The System – A mild steel Mast post finished as standard in silver, alternative paint colours and finishes are available. The Mast post is supplied with a Single Rig cable assembly which accepts the full range of Shopkit's shelving and retail display equipment, including glass cabinets.

The Mini System is wall fixed and is supplied at 1.5M high. The Maxi system 2.4M high is supplied wall or floor to ceiling fixed, solid or glass panels can be fitted or Mast posts can be specified with no panels. While standard modules between posts are 1175mm and 600mm special widths can be accommodated. Strong, fully adjustable Single Rig Mast is a complete shopfitting system or simply an elegant support mechanism for shelving. By virtue of attention to detail and the quality of finish, this system can be used in a wide range of applications, always enhancing the quality of product or objects on display.





TWIN RIG MAST

Uses - Retail, Exhibitions, Offices, Bars

The System – A mild steel Mast post finished as standard in silver, alternative paint colours and finishes are available. The Mast post is supplied with a Twin Rig cable assembly which accepts the full range of Shopkit's shelving and retail display equipment including glass cabinets. The Mini System is wall fixed and is supplied at 1.5m high. The Maxi system 2.4m high is supplied wall or floor to ceiling fixed. Panels cannot be fitted to this system. While standard modules between cable centers are 1175mm and 600mm special widths can be accommodated. Strong and fully adjustable Twin Rig Mast is a complete shopfitting system or simply an elegant support mechanism for shelving. As with Single Rig Mast this system offers strength and fine detailing in equal measure.





MAST CHASSIS

MOBILE UNITS

Uses - Retail, Exhibitions, Offices

The System – Everything that the Mast system offers is embodied in this single mobile or free standing Mast Chassis unit.

Supplied as standard in silver, this elegant and extremely strong pre-tensioned cable support structure offers complete versatility. Graphic panels, shelving, glass cabinets, storage units, sample displays, alloy wheel displays, L.C.D. screens. Virtually anything can be supported on this system.

Shopkit's design and development team are available to develop new ideas and bespoke solutions. Mast Chassis is available with or without integral lighting which is supplied by plugging in twin lighting arms to the top of each Mast post and mounting a transformer on the base rail. Power is supplied to the lights internally through the framework with a power cable exiting from the bottom of a Mast leg. A full range of colours are available for these units as well as choice of stainless steel adjustable feet or castors. A genuinely unique solution to display and merchandising.








TRACK MAST

FREESTANDING + FRAME 1.2M OR 1.5M HIGH

Uses - Retail, Exhibitions, Offices

The System – Wall or ceiling fixed Mast posts with a 50mm x 25mm track tie rail with a maximum length of 1500mm. This system allows single or twin cable assemblies to be supported at any point along the length of the track. Single cable drops will support graphic panels, easy access acrylics of various sizes and fabric banners. Twin cable assemblies will support all the above and additionally, shelving, angled shelving, display cubes and small glass cabinets. Panels cannot be fitted between posts. Essentially this system provides the flexibility of subdividing display requirements into smaller horizontal spacings. Shopkit's design team can assist with any non-standard display equipment requirements. Track Mast is supplied in silver, alternative paint colours and finishes are available. Should localised lighting be required a lighting boom as illustrated in the Accessories section can be added in line to each bay.



ACCESSORIES

Acrylics

A4 Easy Access
 A3 Easy Access
 3 Tiered A4 Brochure Holder.
 300mm cube. Choice of colours.
 All supplied with Cable Grips.

Lighting Gantry

Available up to 1500mm for use with wall or ceiling fixed Mast system.

Hanging Rails

Polished Stainless Steel Twin Front Appraisal Arms
 Polished Stainless Steel Twin Stepped Front Appraisal Arms.
 Polished Stainless Steel Hanging Rail.
 All supplied with Cable Grips.

Glass Cabinets


Cabinets 600mm h x 1150mm w x 300mm Deep.
 Lighting optional.
 Cabinet 1200mm h x 1150mm w x 300mm Deep.
 Lighting optional.

Shelving

Standard Shelving 300mm x 1150mm
 8mm Toughened Glass with 50mm S/Steel lip.
 8mm Toughened Glass.
 40mm Timber. Choice of Veneers.
 40mm Timber. Choice of spray colours.
 30mm Satin Anodised Aluminium Slats.
 All shelves supplied with cable grips.

Bespoke

Contact Shopkit technical support for individual design solutions and product details.



Lighting Gantries



Acrylics

Hanging Rails

Glass Cabinets



Shelving

MMA

AST

SHOPKIT SPAIN

Gran Via de Hortaleza, 66 . 28043 Madrid . Spain

Tel: +34 91 300 57 20

Fax: +34 91 300 57 21

email: shopkit@lycos.es

SHOPKIT FRANCE

Hubert II . 19, av. Georges Pompidou . FR-40130 Capbreton . France

Tel: +33 05 58 41 61 72

Fax: +33 05 58 72 07 49

email: info@shopkit.fr

SHOPKIT PORTUGAL

Rua Francisco Stromp . Lt B4, Bloco C- Loja 5 . 1600-464 Lisboa . Portugal

Tel/ Fax: +351 217 595 222

email: shopkit@logografica.pt web: www.logografica.pt

B&N INDUSTRIES

1409 Chapin Ave . 2nd Floor . Burlingame . California 94010 . U.S.A

Tel: +1 650 593 4127

Fax: +1 650 593 3112

email: info@bnind.com web: www.bnind.com

DAVIES GROUP

Showroom No. 4 . Opp. Al Khaleej National School . Al Garhoud . Dubai . UAE

Tel: +9714 2828528

Fax: +9714 2828328

email: sales@shopkit.ae

DESIGNPLUS

P.O. Box 789 . Al Khobar . 31952 . Kingdom of Saudi-Arabia

Tel: +966 (0)3 882 9252

Fax: +966 (0)3 882 9251

email: info@designplus-sa.com web: designplus-sa.com

MAST

SCREENS PARTITIONS
PRODUCT DISPLAY
ACCESSORIES

SHOPKIT GROUP LIMITED

100 Cecil Street · North Watford · Hertfordshire WD24 5AD · England

Tel: +44 (0)1923 818282 Fax: +44 (0)1923 818280 email: sales@shopkit.com web: www.shopkit.com

SHOPKIT EXPORT LIMITED

100 Cecil Street · North Watford · Hertfordshire WD24 5AD · England

Tel: +44 (0)1923 818282 Fax: +44 (0)1923 818280 email: sales@shopkit.com web: www.shopkit.com

SHOPKIT GmbH

Adler Str. 9 · 40211 Düsseldorf · Germany

Fon: +49(0)211/38 69 6-0 Fax: +49(0)211/38 69 6-24 email: info@shopkit.de web: www.shopkit.de